

Hi-Power® II Belts

Featuring a composite, multi-purpose construction, these belts resist oil and heat, ozone, sunlight, weather, and aging.

Markets/Applications

Suitable for all industrial applications, including v-flat drives.

Features/Advantages


- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration
- **The Flex-Weave® Cover** is constructed for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets ARPM/RMA IP-3-2 **oil and heat resistant** standards.
- Meets ARPM/RMA IP-3-3 **static conductivity** requirements.

Recommended Sheaves


Multi-Duty® Sheaves

Notes

Gates Hi-Power belts are available in A, B, C, D and E cross sections.



Product No. Series 9002



A Section


| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| A18 | 9002-2018 | 20.0 | .12 | 1 | A50 | 9002-2050 | 52.0 | .33 | 10 |
| A19 | 9002-2019 | 21.0 | .13 | 1 | A51 | 9002-2051 | 53.0 | .33 | 10 |
| A20 | 9002-2020 | 22.0 | .12 | 250 | A52 | 9002-2052 | 54.0 | .34 | 10 |
| A21 | 9002-2021 | 23.0 | .13 | 250 | A53 | 9002-2053 | 55.0 | .35 | 10 |
| A22 | 9002-2022 | 24.0 | .13 | 250 | A54 | 9002-2054 | 56.0 | .36 | 10 |
| A23 | 9002-2023 | 25.0 | .14 | 185 | A55 | 9002-2055 | 57.0 | .37 | 10 |
| A24 | 9002-2024 | 26.0 | .15 | 10 | A56 | 9002-2056 | 58.0 | .38 | 10 |
| A25 | 9002-2025 | 27.0 | .17 | 10 | A57 | 9002-2057 | 59.0 | .38 | 10 |
| A26 | 9002-2026 | 28.0 | .17 | 10 | A58 | 9002-2058 | 60.0 | .39 | 10 |
| A27 | 9002-2027 | 29.0 | .17 | 10 | A59 | 9002-2059 | 61.0 | .40 | 10 |
| A28 | 9002-2028 | 30.0 | .18 | 10 | A60 | 9002-2060 | 62.0 | .40 | 10 |
| A29 | 9002-2029 | 31.0 | .19 | 10 | A61 | 9002-2061 | 63.0 | .41 | 10 |
| A29.8 | 9002-2298 | 31.8 | .20 | 10 | A62 | 9002-2062 | 64.0 | .41 | 10 |
| A30 | 9002-2030 | 32.0 | .20 | 10 | A63 | 9002-2063 | 65.0 | .42 | 10 |
| A31 | 9002-2031 | 33.0 | .21 | 10 | A64 | 9002-2064 | 66.0 | .43 | 10 |
| A32 | 9002-2032 | 34.0 | .22 | 10 | A65 | 9002-2065 | 67.0 | .44 | 10 |
| A33 | 9002-2033 | 35.0 | .22 | 10 | A66 | 9002-2066 | 68.0 | .45 | 10 |
| A34 | 9002-2034 | 36.0 | .23 | 10 | A67 | 9002-2067 | 69.0 | .45 | 10 |
| A35 | 9002-2035 | 37.0 | .23 | 10 | A68 | 9002-2068 | 70.0 | .46 | 10 |
| A36 | 9002-2036 | 38.0 | .24 | 10 | A69 | 9002-2069 | 71.0 | .47 | 10 |
| A37 | 9002-2037 | 39.0 | .25 | 10 | A70 | 9002-2070 | 72.0 | .47 | 10 |
| A38 | 9002-2038 | 40.0 | .26 | 10 | A71 | 9002-2071 | 73.0 | .48 | 10 |
| A39 | 9002-2039 | 41.0 | .26 | 10 | A72 | 9002-2072 | 74.0 | .48 | 10 |
| A40 | 9002-2040 | 42.0 | .27 | 10 | A73 | 9002-2073 | 75.0 | .50 | 10 |
| A41 | 9002-2041 | 43.0 | .27 | 10 | A74 | 9002-2074 | 76.0 | .51 | 10 |
| A42 | 9002-2042 | 44.0 | .27 | 10 | A75 | 9002-2075 | 77.0 | .51 | 10 |
| A43 | 9002-2043 | 45.0 | .29 | 10 | A76 | 9002-2076 | 78.0 | .52 | 10 |
| A44 | 9002-2044 | 46.0 | .29 | 10 | A77 | 9002-2077 | 79.0 | .53 | 10 |
| A45 | 9002-2045 | 47.0 | .30 | 10 | A78 | 9002-2078 | 80.0 | .54 | 10 |
| A46 | 9002-2046 | 48.0 | .30 | 10 | A79 | 9002-2079 | 81.0 | .54 | 10 |
| A47 | 9002-2047 | 49.0 | .31 | 10 | A80 | 9002-2080 | 82.0 | .54 | 10 |
| A48 | 9002-2048 | 50.0 | .31 | 10 | A81 | 9002-2081 | 83.0 | .55 | 10 |
| A49 | 9002-2049 | 51.0 | .32 | 10 | A82 | 9002-2082 | 84.0 | .56 | 10 |

Hi-Power® II Belts

Product No. Series 9002 (continued)

A Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| A83 | 9002-2083 | 85.0 | .56 | 10 | A115 | 9002-2115 | 117.0 | .80 | 10 |
| A84 | 9002-2084 | 86.0 | .58 | 10 | A116 | 9002-2116 | 118.0 | .80 | 10 |
| A85 | 9002-2085 | 87.0 | .58 | 10 | A117 | 9002-2117 | 119.0 | .81 | 10 |
| A86 | 9002-2086 | 88.0 | .59 | 10 | A118 | 9002-2118 | 120.0 | .82 | 10 |
| A87 | 9002-2087 | 89.0 | .59 | 10 | A120 | 9002-2120 | 122.0 | .82 | 10 |
| A88 | 9002-2088 | 90.0 | .60 | 10 | A124 | 9002-2124 | 126.0 | .86 | 10 |
| A89 | 9002-2089 | 91.0 | .61 | 10 | A125 | 9002-2125 | 127.0 | .86 | 10 |
| A90 | 9002-2090 | 92.0 | .61 | 10 | A127 | 9002-2127 | 129.0 | .89 | 10 |
| A91 | 9002-2091 | 93.0 | .62 | 10 | A128 | 9002-2128 | 130.0 | .88 | 10 |
| A92 | 9002-2092 | 94.0 | .62 | 10 | A130 | 9002-2130 | 132.0 | .89 | 10 |
| A93 | 9002-2093 | 95.0 | .63 | 10 | A132 | 9002-2132 | 134.0 | .91 | 10 |
| A94 | 9002-2094 | 96.0 | .64 | 10 | A133 | 9002-2133 | 135.0 | .93 | 10 |
| A95 | 9002-2095 | 97.0 | .65 | 10 | A134 | 9002-2134 | 136.0 | .93 | 10 |
| A96 | 9002-2096 | 98.0 | .66 | 10 | A136 | 9002-2136 | 138.0 | .94 | 10 |
| A97 | 9002-2097 | 99.0 | .66 | 10 | A137 | 9002-2137 | 139.0 | .94 | 10 |
| A98 | 9002-2098 | 100.0 | .67 | 10 | A140 | 9002-2140 | 142.0 | .96 | 10 |
| A99 | 9002-2099 | 101.0 | .67 | 10 | A144 | 9002-2144 | 146.0 | 1.00 | 10 |
| A100 | 9002-2100 | 102.0 | .67 | 10 | A148 | 9002-2148 | 150.0 | 1.01 | 10 |
| A101 | 9002-2101 | 103.0 | .68 | 10 | A152 | 9002-2152 | 154.0 | 1.04 | 10 |
| A102 | 9002-2102 | 104.0 | .68 | 10 | A156 | 9002-2156 | 158.0 | 1.08 | 10 |
| A103 | 9002-2103 | 105.0 | .70 | 10 | A157 | 9002-2157 | 159.0 | 1.08 | 10 |
| A104 | 9002-2104 | 106.0 | .72 | 10 | A158 | 9002-2158 | 160.0 | 1.09 | 10 |
| A105 | 9002-2105 | 107.0 | .72 | 10 | A162 | 9002-2162 | 164.0 | 1.11 | 10 |
| A106 | 9002-2106 | 108.0 | .73 | 10 | A167 | 9002-2167 | 169.0 | 1.14 | 10 |
| A107 | 9002-2107 | 109.0 | .74 | 10 | A173 | 9002-2173 | 175.0 | 1.20 | 10 |
| A108 | 9002-2108 | 110.0 | .74 | 10 | A180 | 9002-2180 | 182.0 | 1.24 | 10 |
| A110 | 9002-2110 | 112.0 | .76 | 10 | A187 | 9002-2187 | 189.0 | 1.29 | 10 |
| A112 | 9002-2112 | 114.0 | .77 | 10 | A197 | 9002-2197 | 199.0 | 1.36 | 10 |
| A113 | 9002-2113 | 115.0 | .78 | 10 | A200 | 9002-2200 | 202.0 | 1.38 | 10 |
| A114 | 9002-2114 | 116.0 | .79 | 10 | | | | | |



Product No. Series 9003

B Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| B23 | 9003-2023 | 26.0 | .22 | 1 | B43 | 9003-2043 | 46.0 | .50 | 10 |
| B24 | 9003-2024 | 27.0 | .28 | 100 | B44 | 9003-2044 | 47.0 | .51 | 10 |
| B25 | 9003-2025 | 28.0 | .30 | 100 | B45 | 9003-2045 | 48.0 | .52 | 10 |
| B26 | 9003-2026 | 29.0 | .31 | 100 | B46 | 9003-2046 | 49.0 | .53 | 10 |
| B27 | 9003-2027 | 30.0 | .32 | 100 | B47 | 9003-2047 | 50.0 | .54 | 10 |
| B28 | 9003-2028 | 31.0 | .33 | 10 | B48 | 9003-2048 | 51.0 | .55 | 10 |
| B29 | 9003-2029 | 32.0 | .34 | 10 | B49 | 9003-2049 | 52.0 | .55 | 10 |
| B30 | 9003-2030 | 33.0 | .35 | 10 | B50 | 9003-2050 | 53.0 | .56 | 10 |
| B31 | 9003-2031 | 34.0 | .36 | 10 | B51 | 9003-2051 | 54.0 | .57 | 10 |
| B32 | 9003-2032 | 35.0 | .37 | 10 | B52 | 9003-2052 | 55.0 | .58 | 10 |
| B33 | 9003-2033 | 36.0 | .38 | 10 | B53 | 9003-2053 | 56.0 | .60 | 10 |
| B34 | 9003-2034 | 37.0 | .39 | 10 | B54 | 9003-2054 | 57.0 | .62 | 10 |
| B35 | 9003-2035 | 38.0 | .40 | 10 | B55 | 9003-2055 | 58.0 | .63 | 10 |
| B36 | 9003-2036 | 39.0 | .41 | 10 | B56 | 9003-2056 | 59.0 | .65 | 10 |
| B37 | 9003-2037 | 40.0 | .42 | 10 | B57 | 9003-2057 | 60.0 | .65 | 10 |
| B38 | 9003-2038 | 41.0 | .44 | 10 | B58 | 9003-2058 | 61.0 | .67 | 10 |
| B39 | 9003-2039 | 42.0 | .46 | 10 | B59 | 9003-2059 | 62.0 | .68 | 10 |
| B40 | 9003-2040 | 43.0 | .47 | 10 | B60 | 9003-2060 | 63.0 | .68 | 10 |
| B41 | 9003-2041 | 44.0 | .48 | 10 | B61 | 9003-2061 | 64.0 | .69 | 10 |
| B42 | 9003-2042 | 45.0 | .49 | 10 | B62 | 9003-2062 | 65.0 | .70 | 10 |

Hi-Power® II Belts

Product No. Series 9003 (continued)

B Section (continued)

HEAVY DUTY V-BELTS

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| B63 | 9003-2063 | 66.0 | .72 | 10 | B124 | 9003-2124 | 127.0 | 1.38 | 10 |
| B64 | 9003-2064 | 67.0 | .73 | 10 | B125 | 9003-2125 | 128.0 | 1.39 | 10 |
| B65 | 9003-2065 | 68.0 | .74 | 10 | B126 | 9003-2126 | 129.0 | 1.40 | 10 |
| B66 | 9003-2066 | 69.0 | .76 | 10 | B127 | 9003-2127 | 130.0 | 1.41 | 10 |
| B67 | 9003-2067 | 70.0 | .77 | 10 | B128 | 9003-2128 | 131.0 | 1.43 | 10 |
| B68 | 9003-2068 | 71.0 | .78 | 10 | B130 | 9003-2130 | 133.0 | 1.44 | 10 |
| B69 | 9003-2069 | 72.0 | .79 | 10 | B131 | 9003-2131 | 134.0 | 1.45 | 10 |
| B70 | 9003-2070 | 73.0 | .80 | 10 | B132 | 9003-2132 | 135.0 | 1.48 | 10 |
| B71 | 9003-2071 | 74.0 | .81 | 10 | B133 | 9003-2133 | 136.0 | 1.49 | 10 |
| B72 | 9003-2072 | 75.0 | .82 | 10 | B134 | 9003-2134 | 137.0 | 1.49 | 10 |
| B73 | 9003-2073 | 76.0 | .82 | 10 | B135 | 9003-2135 | 138.0 | 1.50 | 10 |
| B74 | 9003-2074 | 77.0 | .83 | 10 | B136 | 9003-2136 | 139.0 | 1.52 | 10 |
| B75 | 9003-2075 | 78.0 | .85 | 10 | B137 | 9003-2137 | 140.0 | 1.53 | 10 |
| B76 | 9003-2076 | 79.0 | .85 | 10 | B138 | 9003-2138 | 141.0 | 1.53 | 10 |
| B77 | 9003-2077 | 80.0 | .87 | 10 | B139 | 9003-2139 | 142.0 | 1.54 | 10 |
| B78 | 9003-2078 | 81.0 | .89 | 10 | B140 | 9003-2140 | 143.0 | 1.55 | 10 |
| B79 | 9003-2079 | 82.0 | .89 | 10 | B141 | 9003-2141 | 144.0 | 1.56 | 10 |
| B80 | 9003-2080 | 83.0 | .90 | 10 | B142 | 9003-2142 | 145.0 | 1.57 | 10 |
| B81 | 9003-2081 | 84.0 | .91 | 10 | B143 | 9003-2143 | 146.0 | 1.58 | 10 |
| B82 | 9003-2082 | 85.0 | .92 | 10 | B144 | 9003-2144 | 147.0 | 1.61 | 10 |
| B83 | 9003-2083 | 86.0 | .92 | 10 | B145 | 9003-2145 | 148.0 | 1.62 | 10 |
| B84 | 9003-2084 | 87.0 | .93 | 10 | B146 | 9003-2146 | 149.0 | 1.63 | 10 |
| B85 | 9003-2085 | 88.0 | .95 | 10 | B147 | 9003-2147 | 150.0 | 1.63 | 10 |
| B86 | 9003-2086 | 89.0 | .96 | 10 | B148 | 9003-2148 | 151.0 | 1.64 | 10 |
| B87 | 9003-2087 | 90.0 | .97 | 10 | B149 | 9003-2149 | 152.0 | 1.65 | 10 |
| B88 | 9003-2088 | 91.0 | .98 | 10 | B150 | 9003-2150 | 153.0 | 1.66 | 10 |
| B89 | 9003-2089 | 92.0 | .99 | 10 | B151 | 9003-2151 | 154.0 | 1.68 | 10 |
| B90 | 9003-2090 | 93.0 | 1.00 | 10 | B152 | 9003-2152 | 155.0 | 1.69 | 10 |
| B91 | 9003-2091 | 94.0 | 1.02 | 10 | B153 | 9003-2153 | 156.0 | 1.70 | 10 |
| B92 | 9003-2092 | 95.0 | 1.03 | 10 | B154 | 9003-2154 | 157.0 | 1.70 | 10 |
| B93 | 9003-2093 | 96.0 | 1.04 | 10 | B156 | 9003-2156 | 159.0 | 1.73 | 10 |
| B94 | 9003-2094 | 97.0 | 1.05 | 10 | B157 | 9003-2157 | 160.0 | 1.73 | 10 |
| B95 | 9003-2095 | 98.0 | 1.06 | 10 | B158 | 9003-2158 | 161.0 | 1.76 | 10 |
| B96 | 9003-2096 | 99.0 | 1.07 | 10 | B160 | 9003-2160 | 163.0 | 1.77 | 10 |
| B97 | 9003-2097 | 100.0 | 1.08 | 10 | B161 | 9003-2161 | 164.0 | 1.78 | 10 |
| B98 | 9003-2098 | 101.0 | 1.10 | 10 | B162 | 9003-2162 | 165.0 | 1.79 | 10 |
| B99 | 9003-2099 | 102.0 | 1.11 | 10 | B164 | 9003-2164 | 167.0 | 1.83 | 10 |
| B100 | 9003-2100 | 103.0 | 1.12 | 10 | B165 | 9003-2165 | 168.0 | 1.84 | 10 |
| B101 | 9003-2101 | 104.0 | 1.13 | 10 | B166 | 9003-2166 | 169.0 | 1.84 | 10 |
| B102 | 9003-2102 | 105.0 | 1.14 | 10 | B167 | 9003-2167 | 170.0 | 1.85 | 10 |
| B103 | 9003-2103 | 106.0 | 1.15 | 10 | B168 | 9003-2168 | 171.0 | 1.85 | 10 |
| B104 | 9003-2104 | 107.0 | 1.16 | 10 | B169 | 9003-2169 | 172.0 | 1.86 | 10 |
| B105 | 9003-2105 | 108.0 | 1.17 | 10 | B170 | 9003-2170 | 173.0 | 1.88 | 10 |
| B106 | 9003-2106 | 109.0 | 1.18 | 10 | B172 | 9003-2172 | 175.0 | 1.89 | 10 |
| B107 | 9003-2107 | 110.0 | 1.19 | 10 | B173 | 9003-2173 | 176.0 | 1.93 | 10 |
| B108 | 9003-2108 | 111.0 | 1.20 | 10 | B174 | 9003-2174 | 177.0 | 1.94 | 10 |
| B109 | 9003-2109 | 112.0 | 1.22 | 10 | B175 | 9003-2175 | 178.0 | 1.95 | 10 |
| B110 | 9003-2110 | 113.0 | 1.23 | 10 | B177 | 9003-2177 | 180.0 | 1.96 | 10 |
| B111 | 9003-2111 | 114.0 | 1.23 | 10 | B178 | 9003-2178 | 181.0 | 1.98 | 10 |
| B112 | 9003-2112 | 115.0 | 1.24 | 10 | B180 | 9003-2180 | 183.0 | 1.99 | 10 |
| B113 | 9003-2113 | 116.0 | 1.26 | 10 | B182 | 9003-2182 | 185.0 | 2.00 | 10 |
| B114 | 9003-2114 | 117.0 | 1.27 | 10 | B184 | 9003-2184 | 187.0 | 2.01 | 10 |
| B115 | 9003-2115 | 118.0 | 1.28 | 10 | B185 | 9003-2185 | 188.0 | 2.05 | 10 |
| B116 | 9003-2116 | 119.0 | 1.29 | 10 | B186 | 9003-2186 | 189.0 | 2.06 | 10 |
| B117 | 9003-2117 | 120.0 | 1.29 | 10 | B187 | 9003-2187 | 190.0 | 2.06 | 10 |
| B118 | 9003-2118 | 121.0 | 1.30 | 10 | B188 | 9003-2188 | 191.0 | 2.07 | 10 |
| B119 | 9003-2119 | 122.0 | 1.31 | 10 | B190 | 9003-2190 | 193.0 | 2.10 | 10 |
| B120 | 9003-2120 | 123.0 | 1.32 | 10 | B191 | 9003-2191 | 194.0 | 2.12 | 10 |
| B122 | 9003-2122 | 125.0 | 1.35 | 10 | B192 | 9003-2192 | 195.0 | 2.14 | 10 |
| B123 | 9003-2123 | 126.0 | 1.36 | 10 | B195 | 9003-2195 | 198.0 | 2.16 | 10 |

Hi-Power® II Belts


Product No. Series 9003 (continued)

B Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| B197 | 9003-2197 | 200.0 | 2.19 | 10 | B248 | 9003-2248 | 249.0 | 2.65 | 5 |
| B199 | 9003-2199 | 202.0 | 2.20 | 10 | B253 | 9003-2253 | 254.0 | 2.67 | 5 |
| B200 | 9003-2200 | 203.0 | 2.21 | 5 | B255 | 9003-2255 | 256.0 | 2.68 | 5 |
| B201 | 9003-2201 | 204.0 | 2.23 | 5 | B265 | 9003-2265 | 266.0 | 2.80 | 5 |
| B204 | 9003-2204 | 207.0 | 2.25 | 5 | B270 | 9003-2270 | 271.0 | 2.82 | 5 |
| B205 | 9003-2205 | 208.0 | 2.27 | 5 | B276 | 9003-2276 | 277.0 | 2.85 | 5 |
| B206 | 9003-2206 | 209.0 | 2.28 | 5 | B279 | 9003-2279 | 280.0 | 2.92 | 5 |
| B210 | 9003-2210 | 213.0 | 2.30 | 5 | B280 | 9003-2280 | 281.0 | 2.94 | 5 |
| B212 | 9003-2212 | 213.0 | 2.32 | 5 | B285 | 9003-2285 | 286.0 | 3.05 | 5 |
| B215 | 9003-2215 | 216.0 | 2.38 | 5 | B290 | 9003-2290 | 291.0 | 3.18 | 5 |
| B217 | 9003-2217 | 218.0 | 2.41 | 5 | B292 | 9003-2292 | 293.0 | 3.20 | 5 |
| B218 | 9003-2218 | 219.0 | 2.42 | 5 | B293 | 9003-2293 | 294.0 | 3.24 | 5 |
| B220 | 9003-2220 | 221.0 | 2.43 | 5 | B300 | 9003-2300 | 301.0 | 3.25 | 5 |
| B221 | 9003-2221 | 222.0 | 2.44 | 5 | B310 | 9003-2310 | 311.0 | 3.40 | 5 |
| B223 | 9003-2223 | 224.0 | 2.47 | 5 | B315 | 9003-2315 | 316.0 | 3.45 | 5 |
| B225 | 9003-2225 | 226.0 | 2.48 | 5 | B330 | 9003-2330 | 331.0 | 3.65 | 5 |
| B228 | 9003-2228 | 229.0 | 2.53 | 5 | B340 | 9003-2340 | 341.0 | 3.90 | 5 |
| B230 | 9003-2230 | 231.0 | 2.54 | 5 | B345 | 9003-2345 | 346.0 | 3.96 | 5 |
| B234 | 9003-2234 | 235.0 | 2.56 | 5 | B355 | 9003-2355 | 356.0 | 4.00 | 5 |
| B235 | 9003-2235 | 236.0 | 2.59 | 5 | B360 | 9003-2360 | 361.0 | 4.03 | 5 |
| B236 | 9003-2236 | 237.0 | 2.60 | 5 | B394 | 9003-2394 | 395.0 | 4.60 | 5 |
| B237 | 9003-2237 | 238.0 | 2.62 | 5 | B433 | 9003-2433 | 434.0 | 5.05 | 5 |
| B240 | 9003-2240 | 241.0 | 2.63 | 5 | B472 | 9003-2472 | 473.0 | 5.63 | 5 |

HEAVY DUTY V-BELTS

Product No. Series 9004



C Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| C44 | 9004-2044 | 48.0 | .86 | 10 | C72 | 9004-2072 | 76.0 | 1.41 | 10 |
| C45 | 9004-2045 | 49.0 | .87 | 10 | C73 | 9004-2073 | 77.0 | 1.45 | 10 |
| C46 | 9004-2046 | 50.0 | .90 | 10 | C74 | 9004-2074 | 78.0 | 1.47 | 10 |
| C47 | 9004-2047 | 51.0 | .97 | 10 | C75 | 9004-2075 | 79.0 | 1.49 | 10 |
| C48 | 9004-2048 | 52.0 | .96 | 10 | C76 | 9004-2076 | 80.0 | 1.50 | 10 |
| C49 | 9004-2049 | 53.0 | .98 | 10 | C77 | 9004-2077 | 81.0 | 1.52 | 10 |
| C50 | 9004-2050 | 54.0 | .99 | 10 | C78 | 9004-2078 | 82.0 | 1.54 | 10 |
| C51 | 9004-2051 | 55.0 | 1.00 | 10 | C79 | 9004-2079 | 83.0 | 1.56 | 10 |
| C52 | 9004-2052 | 56.0 | 1.02 | 10 | C80 | 9004-2080 | 84.0 | 1.58 | 10 |
| C53 | 9004-2053 | 57.0 | 1.03 | 10 | C81 | 9004-2081 | 85.0 | 1.60 | 10 |
| C54 | 9004-2054 | 58.0 | 1.07 | 10 | C82 | 9004-2082 | 86.0 | 1.61 | 10 |
| C55 | 9004-2055 | 59.0 | 1.10 | 10 | C83 | 9004-2083 | 87.0 | 1.62 | 10 |
| C56 | 9004-2056 | 60.0 | 1.13 | 10 | C84 | 9004-2084 | 88.0 | 1.64 | 10 |
| C57 | 9004-2057 | 61.0 | 1.16 | 10 | C85 | 9004-2085 | 89.0 | 1.66 | 10 |
| C58 | 9004-2058 | 62.0 | 1.17 | 10 | C86 | 9004-2086 | 90.0 | 1.68 | 10 |
| C59 | 9004-2059 | 63.0 | 1.18 | 10 | C87 | 9004-2087 | 91.0 | 1.70 | 10 |
| C60 | 9004-2060 | 64.0 | 1.18 | 10 | C88 | 9004-2088 | 92.0 | 1.72 | 10 |
| C61 | 9004-2061 | 65.0 | 1.20 | 10 | C89 | 9004-2089 | 93.0 | 1.74 | 10 |
| C62 | 9004-2062 | 66.0 | 1.22 | 10 | C90 | 9004-2090 | 94.0 | 1.76 | 10 |
| C63 | 9004-2063 | 67.0 | 1.24 | 10 | C91 | 9004-2091 | 95.0 | 1.78 | 10 |
| C64 | 9004-2064 | 68.0 | 1.27 | 10 | C92 | 9004-2092 | 96.0 | 1.80 | 10 |
| C65 | 9004-2065 | 69.0 | 1.30 | 10 | C93 | 9004-2093 | 97.0 | 1.82 | 10 |
| C66 | 9004-2066 | 70.0 | 1.32 | 10 | C94 | 9004-2094 | 98.0 | 1.84 | 10 |
| C67 | 9004-2067 | 71.0 | 1.33 | 10 | C95 | 9004-2095 | 99.0 | 1.86 | 10 |
| C68 | 9004-2068 | 72.0 | 1.35 | 10 | C96 | 9004-2096 | 100.0 | 1.88 | 10 |
| C69 | 9004-2069 | 73.0 | 1.37 | 10 | C97 | 9004-2097 | 101.0 | 1.90 | 10 |
| C70 | 9004-2070 | 74.0 | 1.38 | 10 | C98 | 9004-2098 | 102.0 | 1.92 | 10 |
| C71 | 9004-2071 | 75.0 | 1.40 | 10 | C99 | 9004-2099 | 103.0 | 1.94 | 10 |

Hi-Power® II Belts

Product No. Series 9004 (continued)

C Section (continued)

HEAVY DUTY V-BELTS


| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| C100 | 9004-2100 | 104.0 | 1.96 | 10 | C164 | 9004-2164 | 168.0 | 3.17 | 10 |
| C101 | 9004-2101 | 105.0 | 1.99 | 10 | C165 | 9004-2165 | 169.0 | 3.19 | 10 |
| C102 | 9004-2102 | 106.0 | 2.02 | 10 | C166 | 9004-2166 | 170.0 | 3.21 | 10 |
| C103 | 9004-2103 | 107.0 | 2.04 | 10 | C167 | 9004-2167 | 171.0 | 3.23 | 10 |
| C104 | 9004-2104 | 108.0 | 2.06 | 10 | C168 | 9004-2168 | 172.0 | 3.25 | 10 |
| C105 | 9004-2105 | 109.0 | 2.08 | 10 | C169 | 9004-2169 | 173.0 | 3.27 | 10 |
| C106 | 9004-2106 | 110.0 | 2.10 | 10 | C170 | 9004-2170 | 174.0 | 3.29 | 10 |
| C107 | 9004-2107 | 111.0 | 2.12 | 10 | C173 | 9004-2173 | 177.0 | 3.40 | 10 |
| C108 | 9004-2108 | 112.0 | 2.14 | 10 | C175 | 9004-2175 | 179.0 | 3.45 | 5 |
| C109 | 9004-2109 | 113.0 | 2.16 | 10 | C176 | 9004-2176 | 180.0 | 3.47 | 5 |
| C110 | 9004-2110 | 114.0 | 2.17 | 10 | C177 | 9004-2177 | 181.0 | 3.50 | 5 |
| C111 | 9004-2111 | 115.0 | 2.19 | 10 | C178 | 9004-2178 | 182.0 | 3.50 | 5 |
| C112 | 9004-2112 | 116.0 | 2.21 | 10 | C180 | 9004-2180 | 184.0 | 3.57 | 5 |
| C113 | 9004-2113 | 117.0 | 2.23 | 10 | C181 | 9004-2181 | 185.0 | 3.59 | 5 |
| C114 | 9004-2114 | 118.0 | 2.25 | 10 | C182 | 9004-2182 | 186.0 | 3.61 | 5 |
| C115 | 9004-2115 | 119.0 | 2.27 | 10 | C183 | 9004-2183 | 187.0 | 3.63 | 5 |
| C116 | 9004-2116 | 120.0 | 2.30 | 10 | C184 | 9004-2184 | 188.0 | 3.65 | 5 |
| C117 | 9004-2117 | 121.0 | 2.30 | 10 | C185 | 9004-2185 | 189.0 | 3.67 | 5 |
| C118 | 9004-2118 | 122.0 | 2.30 | 10 | C187 | 9004-2187 | 191.0 | 3.71 | 5 |
| C119 | 9004-2119 | 123.0 | 2.36 | 10 | C188 | 9004-2188 | 192.0 | 3.73 | 5 |
| C120 | 9004-2120 | 124.0 | 2.38 | 10 | C189 | 9004-2189 | 193.0 | 3.75 | 5 |
| C121 | 9004-2121 | 125.0 | 2.40 | 10 | C190 | 9004-2190 | 194.0 | 3.77 | 5 |
| C122 | 9004-2122 | 126.0 | 2.42 | 10 | C193 | 9004-2193 | 197.0 | 3.81 | 5 |
| C123 | 9004-2123 | 127.0 | 2.44 | 10 | C195 | 9004-2195 | 199.0 | 3.83 | 5 |
| C124 | 9004-2124 | 128.0 | 2.45 | 10 | C197 | 9004-2197 | 201.0 | 3.87 | 5 |
| C125 | 9004-2125 | 129.0 | 2.48 | 10 | C198 | 9004-2198 | 202.0 | 3.90 | 5 |
| C126 | 9004-2126 | 130.0 | 2.50 | 10 | C200 | 9004-2200 | 204.0 | 3.93 | 5 |
| C127 | 9004-2127 | 131.0 | 2.50 | 10 | C202 | 9004-2202 | 206.0 | 3.95 | 5 |
| C128 | 9004-2128 | 132.0 | 2.52 | 10 | C204 | 9004-2204 | 208.0 | 3.97 | 5 |
| C130 | 9004-2130 | 134.0 | 2.55 | 10 | C205 | 9004-2205 | 209.0 | 3.99 | 5 |
| C131 | 9004-2131 | 135.0 | 2.57 | 10 | C206 | 9004-2206 | 210.0 | 4.01 | 5 |
| C132 | 9004-2132 | 136.0 | 2.59 | 10 | C207 | 9004-2207 | 211.0 | 4.10 | 5 |
| C133 | 9004-2133 | 137.0 | 2.61 | 10 | C208 | 9004-2208 | 212.0 | 4.12 | 5 |
| C134 | 9004-2134 | 138.0 | 2.63 | 10 | C210 | 9004-2210 | 214.0 | 4.15 | 5 |
| C135 | 9004-2135 | 139.0 | 2.65 | 10 | C214 | 9004-2214 | 216.0 | 4.25 | 5 |
| C136 | 9004-2136 | 140.0 | 2.67 | 10 | C215 | 9004-2215 | 217.0 | 4.27 | 5 |
| C137 | 9004-2137 | 141.0 | 2.69 | 10 | C218 | 9004-2218 | 220.0 | 4.32 | 5 |
| C138 | 9004-2138 | 142.0 | 2.71 | 10 | C220 | 9004-2220 | 222.0 | 4.34 | 5 |
| C139 | 9004-2139 | 143.0 | 2.73 | 10 | C221 | 9004-2221 | 223.0 | 4.35 | 5 |
| C140 | 9004-2140 | 144.0 | 2.75 | 10 | C225 | 9004-2225 | 227.0 | 4.40 | 5 |
| C141 | 9004-2141 | 145.0 | 2.77 | 10 | C228 | 9004-2228 | 230.0 | 4.50 | 5 |
| C142 | 9004-2142 | 146.0 | 2.79 | 10 | C229 | 9004-2229 | 231.0 | 4.53 | 5 |
| C143 | 9004-2143 | 147.0 | 2.81 | 10 | C230 | 9004-2230 | 232.0 | 4.53 | 5 |
| C144 | 9004-2144 | 148.0 | 2.83 | 10 | C235 | 9004-2235 | 237.0 | 4.63 | 5 |
| C145 | 9004-2145 | 149.0 | 2.85 | 10 | C238 | 9004-2238 | 240.0 | 4.70 | 5 |
| C146 | 9004-2146 | 150.0 | 2.87 | 10 | C240 | 9004-2240 | 242.0 | 4.65 | 5 |
| C147 | 9004-2147 | 151.0 | 2.89 | 10 | C245 | 9004-2245 | 247.0 | 4.72 | 5 |
| C148 | 9004-2148 | 152.0 | 2.91 | 10 | C246 | 9004-2246 | 248.0 | 4.74 | 5 |
| C149 | 9004-2149 | 153.0 | 2.93 | 10 | C248 | 9004-2248 | 250.0 | 4.79 | 5 |
| C150 | 9004-2150 | 154.0 | 2.95 | 10 | C250 | 9004-2250 | 252.0 | 5.00 | 5 |
| C151 | 9004-2151 | 155.0 | 2.97 | 10 | C255 | 9004-2255 | 257.0 | 5.10 | 5 |
| C152 | 9004-2152 | 156.8 | 2.99 | 10 | C264 | 9004-2264 | 266.0 | 5.52 | 5 |
| C153 | 9004-2153 | 157.0 | 3.01 | 10 | C265 | 9004-2265 | 267.0 | 5.41 | 5 |
| C154 | 9004-2154 | 158.0 | 3.03 | 10 | C270 | 9004-2270 | 272.0 | 5.60 | 5 |
| C155 | 9004-2155 | 159.0 | 3.05 | 10 | C275 | 9004-2275 | 277.0 | 5.70 | 5 |
| C156 | 9004-2156 | 160.0 | 3.07 | 10 | C276 | 9004-2276 | 278.0 | 5.71 | 5 |
| C157 | 9004-2157 | 161.0 | 3.09 | 10 | C280 | 9004-2280 | 282.0 | 5.75 | 5 |
| C158 | 9004-2158 | 162.0 | 3.11 | 10 | C285 | 9004-2285 | 287.0 | 5.80 | 5 |
| C160 | 9004-2160 | 164.0 | 3.13 | 10 | C290 | 9004-2290 | 292.0 | 6.00 | 5 |
| C162 | 9004-2162 | 166.0 | 3.15 | 10 | C295 | 9004-2295 | 297.0 | 6.10 | 5 |

Hi-Power® II Belts

Product No. Series 9004 (continued)

C Section (continued)

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| C297 | 9004-2297 | 299.0 | 6.22 | 5 | C330 | 9004-2330 | 332.0 | 7.10 | 4 |
| C300 | 9004-2300 | 302.0 | 6.26 | 5 | C345 | 9004-2345 | 347.0 | 7.40 | 4 |
| C303 | 9004-2303 | 305.0 | 6.28 | 5 | C360 | 9004-2360 | 362.0 | 7.80 | 4 |
| C314 | 9004-2314 | 316.0 | 6.55 | 4 | C390 | 9004-2390 | 392.0 | 8.60 | 3 |
| C315 | 9004-2315 | 317.0 | 6.72 | 5 | C420 | 9004-2420 | 422.0 | 9.40 | 1 |
| C320 | 9004-2320 | 322.0 | 6.80 | 4 | C450 | 9004-2450 | 452.0 | 10.20 | 1 |



Product No. Series 9005


D Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| D90 | 9005-2090 | 95.0 | 4.80 | 1 | D195 | 9005-2195 | 200.0 | 8.90 | 1 |
| D98 | 9005-2098 | 103.0 | 5.05 | 1 | D205 | 9005-2205 | 210.0 | 9.37 | 1 |
| D104 | 9005-2104 | 109.0 | 5.22 | 1 | D210 | 9005-2210 | 215.0 | 9.50 | 1 |
| D105 | 9005-2105 | 110.0 | 5.29 | 1 | D220 | 9005-2220 | 223.0 | 10.15 | 1 |
| D107 | 9005-2107 | 112.0 | 5.34 | 1 | D225 | 9005-2225 | 228.0 | 10.30 | 1 |
| D108 | 9005-2108 | 113.0 | 5.41 | 1 | D230 | 9005-2230 | 233.0 | 10.50 | 1 |
| D110 | 9005-2110 | 115.0 | 5.49 | 1 | D240 | 9005-2240 | 243.0 | 10.92 | 1 |
| D112 | 9005-2112 | 117.0 | 5.62 | 1 | D248 | 9005-2248 | 251.0 | 11.00 | 1 |
| D120 | 9005-2120 | 125.0 | 5.86 | 1 | D255 | 9005-2255 | 258.0 | 11.45 | 1 |
| D124 | 9005-2124 | 129.0 | 6.00 | 1 | D260 | 9005-2260 | 263.0 | 11.70 | 1 |
| D128 | 9005-2128 | 133.0 | 6.14 | 1 | D270 | 9005-2270 | 273.0 | 12.25 | 1 |
| D132 | 9005-2132 | 137.0 | 6.29 | 1 | D280 | 9005-2280 | 283.0 | 12.48 | 1 |
| D135 | 9005-2135 | 140.0 | 6.36 | 1 | D285 | 9005-2285 | 288.0 | 12.65 | 1 |
| D136 | 9005-2136 | 141.0 | 6.43 | 1 | D300 | 9005-2300 | 303.0 | 13.30 | 1 |
| D140 | 9005-2140 | 145.0 | 6.47 | 1 | D315 | 9005-2315 | 318.0 | 14.00 | 1 |
| D144 | 9005-2144 | 149.0 | 6.50 | 1 | D330 | 9005-2330 | 333.0 | 14.40 | 1 |
| D148 | 9005-2148 | 153.0 | 6.75 | 1 | D335 | 9005-2335 | 338.0 | 14.86 | 1 |
| D152 | 9005-2152 | 157.0 | 7.02 | 1 | D345 | 9005-2345 | 348.0 | 15.23 | 1 |
| D154 | 9005-2154 | 159.0 | 7.11 | 1 | D354 | 9005-2354 | 357.0 | 15.60 | 1 |
| D158 | 9005-2158 | 163.0 | 7.13 | 1 | D360 | 9005-2360 | 363.0 | 15.90 | 1 |
| D160 | 9005-2160 | 165.0 | 7.15 | 1 | D390 | 9005-2390 | 393.0 | 16.96 | 1 |
| D162 | 9005-2162 | 167.0 | 7.18 | 1 | D394 | 9005-2394 | 397.0 | 17.14 | 1 |
| D164 | 9005-2164 | 169.0 | 7.21 | 1 | D420 | 9005-2420 | 423.0 | 18.11 | 1 |
| D165 | 9005-2165 | 170.0 | 7.25 | 1 | D441 | 9005-2441 | 444.0 | 18.92 | 1 |
| D166 | 9005-2166 | 171.0 | 7.30 | 1 | D450 | 9005-2450 | 453.0 | 19.30 | 1 |
| D167 | 9005-2167 | 172.0 | 7.36 | 1 | D480 | 9005-2480 | 483.0 | 20.55 | 1 |
| D170 | 9005-2170 | 175.0 | 7.42 | 1 | D540 | 9005-2540 | 543.0 | 23.05 | 1 |
| D171 | 9005-2171 | 176.0 | 7.46 | 1 | D600 | 9005-2600 | 603.0 | 25.87 | 1 |
| D173 | 9005-2173 | 178.0 | 7.50 | 1 | D660 | 9005-2660 | 663.0 | 28.10 | 1 |
| D180 | 9005-2180 | 185.0 | 7.90 | 1 | | | | | |

HEAVY DUTY V-BELTS

Hi-Power® II Belts

HEAVY DUTY V-BELTS



Product No. Series 9006

E Section

| Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn | Part No. | Product No. | O.C. (in) | Weight (Lbs.) | Qty Per Ctn |
|----------|-------------|-----------|---------------|-------------|----------|-------------|-----------|---------------|-------------|
| E144 | 9006-2144 | 149.0 | 9.50 | 1 | E330 | 9006-2330 | 334.0 | 19.75 | 1 |
| E158 | 9006-2158 | 165.0 | 10.48 | 1 | E360 | 9006-2360 | 364.0 | 21.30 | 1 |
| E180 | 9006-2180 | 187.0 | 11.66 | 1 | E390 | 9006-2390 | 394.0 | 23.15 | 1 |
| E195 | 9006-2195 | 202.0 | 12.55 | 1 | E420 | 9006-2420 | 424.0 | 24.75 | 1 |
| E210 | 9006-2210 | 217.0 | 13.35 | 1 | E441 | 9006-2441 | 445.0 | 25.79 | 1 |
| E240 | 9006-2240 | 244.0 | 15.05 | 1 | E460 | 9006-2460 | 464.0 | 26.82 | 1 |
| E250 | 9006-2250 | 254.0 | 15.84 | 1 | E480 | 9006-2480 | 484.0 | 28.30 | 1 |
| E270 | 9006-2270 | 274.0 | 16.80 | 1 | E540 | 9006-2540 | 544.0 | 32.02 | 1 |
| E300 | 9006-2300 | 304.0 | 18.50 | 1 | E600 | 9006-2600 | 604.0 | 35.28 | 1 |
| E310 | 9006-2310 | 314.0 | 19.00 | 1 | E660 | 9006-2660 | 664.0 | 38.14 | 1 |