


PowerGrip® GT³ Belts - 8M and 14M

Reduce both acquisition costs and transaction costs by designing with PowerGrip GT3. The PowerGrip GT3 belt has two times the rating of competitive RPP® belts, and its predecessors PowerGrip GT and HTD® belts. PowerGrip GT3 drive systems offer the largest selection of belts and sprockets in the industry. At reduced widths, PowerGrip GT3 belts can be used as a direct replacement for most 8mm and 14mm pitch standard rubber RPP and HTD synchronous belts.



Markets/Applications

PowerGrip GT3 belts are suitable for many applications such as HVAC, textile, printing, machine tools, food processing, conveyors, packaging, agriculture, pumps, compressors, centrifuges, laundry, pulp and paper.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT3 has more tooth ratchet resistance than HTD.
- Eliminates lubrication and re-tensioning reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT3 ACHE belts are available in 14mm pitch. A single twist cord helps prevent the belt from moving downward on vertical shaft ACHE applications.

Recommended Sprockets

PowerGrip® GT² Sprockets

Notes

8M and 14M PowerGrip GT3 belts are conductive in accordance with ISO 9563. When belt drive systems are located in potentially hazardous environments, safe and reliable dissipation of electrostatic charges is critical - a secondary means of dissipation such as static grounding brushes is recommended.

PowerGrip GT3 part numbers are comprised of pitch, pitch length and width. For example; part number 3150-14MGT-55 denotes a 3150mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT3 belt lies within the tensile member.

WARNING: New drive designs must use the PowerGrip GT2 sprockets, because of the high torque capacity of PowerGrip GT3 belts. Do not use HTD or RPP profiled sprockets in new designs. PowerGrip GT3 belts can be used on existing HTD or HT100® sprockets as replacement belts, usually at the next narrowest width.

Product No. Series 9356

8mm Pitch — 12mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-12 | 9356-1200 | 48 | 15.12 | .05 | 1200-8MGT-12 | 9356-1216 | 150 | 47.24 | .16 |
| 480-8MGT-12 | 9356-1201 | 60 | 18.90 | .06 | 1224-8MGT-12 | 9356-1217 | 153 | 48.19 | .16 |
| 560-8MGT-12 | 9356-1202 | 70 | 22.05 | .07 | 1280-8MGT-12 | 9356-1218 | 160 | 50.39 | .17 |
| 600-8MGT-12 | 9356-1203 | 75 | 23.62 | .08 | 1440-8MGT-12 | 9356-1219 | 180 | 56.69 | .18 |
| 640-8MGT-12 | 9356-1204 | 80 | 25.20 | .09 | 1512-8MGT-12 | 9356-1220 | 189 | 59.53 | .20 |
| 720-8MGT-12 | 9356-1205 | 90 | 28.35 | .09 | 1584-8MGT-12 | 9356-1221 | 198 | 62.36 | .20 |
| 800-8MGT-12 | 9356-1206 | 100 | 31.50 | .11 | 1600-8MGT-12 | 9356-1222 | 200 | 62.99 | .21 |
| 840-8MGT-12 | 9356-1207 | 105 | 33.07 | .11 | 1760-8MGT-12 | 9356-1223 | 220 | 69.29 | .23 |
| 880-8MGT-12 | 9356-1208 | 110 | 34.65 | .12 | 1800-8MGT-12 | 9356-1224 | 225 | 70.87 | .24 |
| 920-8MGT-12 | 9356-1209 | 115 | 36.22 | .12 | 2000-8MGT-12 | 9356-1225 | 250 | 78.74 | .26 |
| 960-8MGT-12 | 9356-1210 | 120 | 37.80 | .13 | 2200-8MGT-12 | 9356-1226 | 275 | 86.61 | .28 |
| 1040-8MGT-12 | 9356-1211 | 130 | 40.94 | .14 | 2400-8MGT-12 | 9356-1227 | 300 | 94.49 | .30 |
| 1064-8MGT-12 | 9356-1212 | 133 | 41.89 | .14 | 2600-8MGT-12 | 9356-1228 | 325 | 102.36 | .33 |
| 1104-8MGT-12 | 9356-1213 | 138 | 43.46 | .15 | 2800-8MGT-12 | 9356-1229 | 350 | 110.24 | .36 |
| 1120-8MGT-12 | 9356-1214 | 140 | 44.09 | .15 | 3280-8MGT-12 | 9356-1230 | 410 | 129.13 | .41 |
| 1160-8MGT-12 | 9356-1215 | 145 | 45.67 | .15 | | | | | |

PowerGrip® GT®3 Belts - 8M and 14M

Product No. Series 9356 (continued)

8mm Pitch — 20mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-20 | 9356-1021 | 48 | 15.12 | .09 | 1224-8MGT-20 | 9356-1029 | 153 | 48.19 | .30 |
| 480-8MGT-20 | 9356-9001 | 60 | 18.90 | .12 | 1280-8MGT-20 | 9356-0045 | 160 | 50.39 | .30 |
| 480-8MGT-30 | 9356-9002 | 60 | 18.90 | .20 | 1440-8MGT-20 | 9356-0049 | 180 | 56.69 | .35 |
| 560-8MGT-20 | 9356-9005 | 70 | 22.05 | .15 | 1512-8MGT-20 | 9356-1013 | 189 | 59.53 | .38 |
| 576-8MGT-20 | 9356-1041 | 72 | 22.67 | .44 | 1584-8MGT-20 | 9356-1017 | 198 | 62.36 | .39 |
| 600-8MGT-20 | 9356-0009 | 75 | 23.62 | .15 | 1600-8MGT-20 | 9356-0053 | 200 | 62.99 | .40 |
| 640-8MGT-20 | 9356-0013 | 80 | 25.20 | .16 | 1760-8MGT-20 | 9356-0057 | 220 | 69.29 | .45 |
| 720-8MGT-20 | 9356-0017 | 90 | 28.35 | .19 | 1800-8MGT-20 | 9356-0061 | 225 | 70.87 | .45 |
| 800-8MGT-20 | 9356-0021 | 100 | 31.50 | .20 | 2000-8MGT-20 | 9356-0065 | 250 | 78.74 | .51 |
| 840-8MGT-20 | 9356-1025 | 105 | 33.07 | .20 | 2200-8MGT-20 | 9356-1033 | 275 | 86.62 | .55 |
| 880-8MGT-20 | 9356-0025 | 110 | 34.65 | .20 | 2400-8MGT-20 | 9356-0069 | 300 | 94.49 | .60 |
| 920-8MGT-20 | 9356-1001 | 115 | 36.22 | .20 | 2600-8MGT-20 | 9356-0077 | 325 | 102.36 | .65 |
| 920-8MGT-30 | 9356-1002 | 115 | 36.22 | .35 | 2600-8MGT-30 | 9356-0078 | 325 | 102.36 | .92 |
| 960-8MGT-20 | 9356-0029 | 120 | 37.80 | .20 | 2800-8MGT-20 | 9356-0073 | 350 | 110.24 | .70 |
| 1040-8MGT-20 | 9356-0033 | 130 | 40.94 | .25 | 3048-8MGT-20 | 9356-0081 | 381 | 120.00 | .75 |
| 1064-8MGT-20 | 9356-1005 | 133 | 41.89 | .25 | 3280-8MGT-20 | 9356-0085 | 410 | 129.13 | .84 |
| 1104-8MGT-20 | 9356-1037 | 138 | 43.46 | .26 | 3600-8MGT-20 | 9356-0089 | 450 | 141.73 | .95 |
| 1120-8MGT-20 | 9356-0037 | 140 | 44.09 | .26 | 3600-8MGT-30 | 9356-0090 | 450 | 141.73 | 1.28 |
| 1160-8MGT-20 | 9356-1009 | 145 | 45.67 | .25 | 4400-8MGT-20 | 9356-0093 | 550 | 173.23 | 1.15 |
| 1200-8MGT-20 | 9356-0041 | 150 | 47.24 | .30 | | | | | |

8mm Pitch — 30mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-30 | 9356-1022 | 48 | 15.12 | .50 | 1224-8MGT-30 | 9356-1030 | 153 | 48.19 | .45 |
| 560-8MGT-30 | 9356-9006 | 70 | 22.05 | .20 | 1280-8MGT-30 | 9356-0046 | 160 | 50.39 | .45 |
| 576-8MGT-30 | 9356-1043 | 72 | 22.67 | 1.20 | 1440-8MGT-30 | 9356-0050 | 180 | 56.69 | .52 |
| 600-8MGT-30 | 9356-0010 | 75 | 23.62 | .21 | 1512-8MGT-30 | 9356-1014 | 189 | 59.53 | .55 |
| 640-8MGT-30 | 9356-0014 | 80 | 25.20 | .24 | 1584-8MGT-30 | 9356-1018 | 198 | 62.36 | .60 |
| 720-8MGT-30 | 9356-0018 | 90 | 28.35 | .25 | 1600-8MGT-30 | 9356-0054 | 200 | 62.99 | .60 |
| 800-8MGT-30 | 9356-0022 | 100 | 31.50 | .25 | 1760-8MGT-30 | 9356-0058 | 220 | 69.29 | .65 |
| 840-8MGT-30 | 9356-1026 | 105 | 33.07 | .30 | 1800-8MGT-30 | 9356-0062 | 225 | 70.87 | .65 |
| 880-8MGT-30 | 9356-0026 | 110 | 34.65 | .30 | 2000-8MGT-30 | 9356-0066 | 250 | 78.74 | .70 |
| 960-8MGT-30 | 9356-0030 | 120 | 37.80 | .35 | 2200-8MGT-30 | 9356-1034 | 275 | 86.61 | .80 |
| 1040-8MGT-30 | 9356-0034 | 130 | 40.94 | .35 | 2400-8MGT-30 | 9356-0070 | 300 | 94.49 | .89 |
| 1064-8MGT-30 | 9356-1006 | 133 | 41.89 | .40 | 2800-8MGT-30 | 9356-0074 | 350 | 110.24 | 1.00 |
| 1104-8MGT-30 | 9356-1038 | 138 | 43.46 | .46 | 3048-8MGT-30 | 9356-0082 | 381 | 120.00 | 1.20 |
| 1120-8MGT-30 | 9356-0038 | 140 | 44.09 | .40 | 3280-8MGT-30 | 9356-0086 | 410 | 129.13 | 1.16 |
| 1160-8MGT-30 | 9356-1010 | 145 | 45.67 | .45 | 4400-8MGT-30 | 9356-0094 | 550 | 173.23 | 1.70 |
| 1200-8MGT-30 | 9356-0042 | 150 | 47.24 | .45 | | | | | |

8mm Pitch — 50mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-50 | 9356-1023 | 48 | 15.12 | .20 | 1064-8MGT-50 | 9356-1007 | 133 | 41.89 | .65 |
| 480-8MGT-50 | 9356-9003 | 60 | 18.90 | .30 | 1104-8MGT-50 | 9356-1039 | 138 | 43.46 | .65 |
| 560-8MGT-50 | 9356-9007 | 70 | 22.05 | .32 | 1120-8MGT-50 | 9356-0039 | 140 | 44.09 | .65 |
| 576-8MGT-50 | 9356-1042 | 72 | 22.67 | .72 | 1160-8MGT-50 | 9356-1011 | 145 | 45.67 | .70 |
| 600-8MGT-50 | 9356-0011 | 75 | 23.62 | .35 | 1200-8MGT-50 | 9356-0043 | 150 | 47.24 | .75 |
| 640-8MGT-50 | 9356-0015 | 80 | 25.20 | .40 | 1224-8MGT-50 | 9356-1031 | 153 | 48.19 | .75 |
| 720-8MGT-50 | 9356-0019 | 90 | 28.35 | .44 | 1280-8MGT-50 | 9356-0047 | 160 | 50.39 | .75 |
| 800-8MGT-50 | 9356-0023 | 100 | 31.50 | .50 | 1440-8MGT-50 | 9356-0051 | 180 | 56.69 | .90 |
| 840-8MGT-50 | 9356-1027 | 105 | 33.07 | .50 | 1512-8MGT-50 | 9356-1015 | 189 | 59.53 | .95 |
| 880-8MGT-50 | 9356-0027 | 110 | 34.65 | .55 | 1584-8MGT-50 | 9356-1019 | 198 | 62.36 | 1.00 |
| 920-8MGT-50 | 9356-1003 | 115 | 36.22 | .60 | 1600-8MGT-50 | 9356-0055 | 200 | 62.99 | 1.00 |
| 960-8MGT-50 | 9356-0031 | 120 | 37.80 | .60 | 1760-8MGT-50 | 9356-0059 | 220 | 69.29 | 1.10 |
| 1040-8MGT-50 | 9356-0035 | 130 | 40.94 | .65 | 1800-8MGT-50 | 9356-0063 | 225 | 70.87 | 1.10 |

POWERGRIP GT3 BELTS

PowerGrip® GT®3 Belts - 8M and 14M

Product No. Series 9356 (continued)

8mm Pitch — 50mm Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 2000-8MGT-50 | 9356-0067 | 250 | 78.74 | 1.23 |
| 2200-8MGT-50 | 9356-1035 | 275 | 86.61 | 1.35 |
| 2400-8MGT-50 | 9356-0071 | 300 | 94.49 | 1.50 |
| 2600-8MGT-50 | 9356-0079 | 325 | 102.36 | 1.60 |
| 2800-8MGT-50 | 9356-0075 | 350 | 110.24 | 1.70 |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 3048-8MGT-50 | 9356-0083 | 381 | 120.00 | 1.90 |
| 3280-8MGT-50 | 9356-0087 | 410 | 129.13 | 2.00 |
| 3600-8MGT-50 | 9356-0091 | 450 | 141.73 | 2.35 |
| 4400-8MGT-50 | 9356-0095 | 550 | 173.23 | 2.75 |

8mm Pitch — 85mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 384-8MGT-85 | 9356-1024 | 48 | 15.12 | .40 |
| 480-8MGT-85 | 9356-9004 | 60 | 18.90 | .50 |
| 560-8MGT-85 | 9356-9008 | 70 | 22.05 | .55 |
| 576-8MGT-85 | 9356-1044 | 72 | 22.67 | 2.04 |
| 600-8MGT-85 | 9356-0012 | 75 | 23.62 | .65 |
| 640-8MGT-85 | 9356-0016 | 80 | 25.20 | .70 |
| 720-8MGT-85 | 9356-0020 | 90 | 28.35 | .75 |
| 800-8MGT-85 | 9356-0024 | 100 | 31.50 | .85 |
| 840-8MGT-85 | 9356-1028 | 105 | 33.07 | .90 |
| 880-8MGT-85 | 9356-0028 | 110 | 34.65 | .95 |
| 920-8MGT-85 | 9356-1004 | 115 | 36.22 | 1.00 |
| 960-8MGT-85 | 9356-0032 | 120 | 37.80 | .95 |
| 1040-8MGT-85 | 9356-0036 | 130 | 40.94 | 1.10 |
| 1064-8MGT-85 | 9356-1008 | 133 | 41.89 | 1.05 |
| 1104-8MGT-85 | 9356-1040 | 138 | 43.46 | 1.30 |
| 1120-8MGT-85 | 9356-0040 | 140 | 44.09 | 1.20 |
| 1160-8MGT-85 | 9356-1012 | 146 | 45.83 | 1.20 |
| 1200-8MGT-85 | 9356-0044 | 150 | 47.24 | 1.25 |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|--------------|-------------|-----------------|-------------------|---------------|
| 1224-8MGT-85 | 9356-1032 | 153 | 48.19 | 1.30 |
| 1280-8MGT-85 | 9356-0048 | 160 | 50.39 | 1.32 |
| 1440-8MGT-85 | 9356-0052 | 180 | 56.69 | 1.55 |
| 1512-8MGT-85 | 9356-1016 | 189 | 59.53 | 1.60 |
| 1584-8MGT-85 | 9356-1020 | 198 | 62.36 | 1.65 |
| 1600-8MGT-85 | 9356-0056 | 200 | 62.99 | 1.75 |
| 1760-8MGT-85 | 9356-0060 | 220 | 69.29 | 1.90 |
| 1800-8MGT-85 | 9356-0064 | 225 | 70.87 | 1.95 |
| 2000-8MGT-85 | 9356-0068 | 250 | 78.74 | 2.10 |
| 2200-8MGT-85 | 9356-1036 | 275 | 86.61 | 2.30 |
| 2400-8MGT-85 | 9356-0072 | 300 | 94.49 | 2.50 |
| 2600-8MGT-85 | 9356-0080 | 325 | 102.36 | 2.80 |
| 2800-8MGT-85 | 9356-0076 | 350 | 110.24 | 3.00 |
| 3048-8MGT-85 | 9356-0084 | 381 | 120.00 | 3.35 |
| 3280-8MGT-85 | 9356-0088 | 410 | 129.13 | 3.65 |
| 3600-8MGT-85 | 9356-0092 | 450 | 141.73 | 3.90 |
| 4400-8MGT-85 | 9356-0096 | 550 | 173.23 | 4.80 |

14mm Pitch — 40mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-40 | 9356-0100 | 69 | 38.03 | .17 |
| 1190-14MGT-40 | 9356-0105 | 85 | 46.85 | 1.50 |
| 1400-14MGT-40 | 9356-0110 | 100 | 55.12 | 1.65 |
| 1610-14MGT-40 | 9356-0115 | 115 | 63.39 | .28 |
| 1778-14MGT-40 | 9356-0120 | 127 | 70.00 | 1.95 |
| 1890-14MGT-40 | 9356-0125 | 135 | 74.41 | 2.05 |
| 2100-14MGT-40 | 9356-0130 | 150 | 82.68 | 2.35 |
| 2310-14MGT-40 | 9356-0135 | 165 | 90.94 | .40 |
| 2450-14MGT-40 | 9356-0140 | 175 | 96.46 | 2.55 |
| 2590-14MGT-40 | 9356-0145 | 185 | 101.97 | .45 |
| 2800-14MGT-40 | 9356-0150 | 200 | 110.24 | 2.80 |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-40 | 9356-0155 | 225 | 124.02 | 3.10 |
| 3360-14MGT-40 | 9356-0180 | 240 | 132.28 | 2.73 |
| 3500-14MGT-40 | 9356-0160 | 250 | 137.80 | 3.50 |
| 3850-14MGT-40 | 9356-0165 | 275 | 151.57 | 3.80 |
| 4326-14MGT-40 | 9356-0170 | 309 | 170.31 | 3.52 |
| 4578-14MGT-40 | 9356-0175 | 327 | 180.24 | 3.79 |
| 4956-14MGT-40 | 9356-0185 | 354 | 195.12 | 5.20 |
| 5320-14MGT-40 | 9356-0190 | 380 | 209.45 | 4.40 |
| 5740-14MGT-40 | 9356-0195 | 410 | 225.98 | 4.70 |
| 6160-14MGT-40 | 9356-0200 | 440 | 242.52 | 5.00 |
| 6860-14MGT-40 | 9356-0205 | 490 | 270.08 | 5.60 |

14mm Pitch — 55mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-55 | 9356-0101 | 69 | 38.03 | 1.60 |
| 1190-14MGT-55 | 9356-0106 | 85 | 46.85 | 1.90 |
| 1400-14MGT-55 | 9356-0111 | 100 | 55.12 | 2.10 |
| 1610-14MGT-55 | 9356-0116 | 115 | 63.39 | .38 |
| 1778-14MGT-55 | 9356-0121 | 127 | 70.00 | 2.55 |
| 1890-14MGT-55 | 9356-0126 | 135 | 74.41 | 2.70 |
| 2100-14MGT-55 | 9356-0131 | 150 | 82.68 | 2.95 |
| 2310-14MGT-55 | 9356-0136 | 165 | 90.94 | .55 |
| 2450-14MGT-55 | 9356-0141 | 175 | 96.46 | .58 |
| 2590-14MGT-55 | 9356-0146 | 185 | 101.97 | .61 |

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|
| 2800-14MGT-55 | 9356-0151 | 200 | 110.24 | 3.70 |
| 3150-14MGT-55 | 9356-0156 | 225 | 124.02 | 4.10 |
| 3360-14MGT-55 | 9356-0181 | 240 | 132.28 | 3.72 |
| 3500-14MGT-55 | 9356-0161 | 250 | 137.80 | 4.60 |
| 3850-14MGT-55 | 9356-0166 | 275 | 151.57 | 5.00 |
| 4326-14MGT-55 | 9356-0171 | 309 | 170.31 | 6.30 |
| 4578-14MGT-55 | 9356-0176 | 327 | 180.24 | 5.40 |
| 4956-14MGT-55 | 9356-0186 | 354 | 195.12 | 5.53 |
| 5320-14MGT-55 | 9356-0191 | 380 | 209.45 | 5.95 |
| 5740-14MGT-55 | 9356-0196 | 410 | 225.98 | 8.15 |

POWERGRIP GT3 BELTS

PowerGrip® GT®3 Belts - 8M and 14M

Product No. Series 9356 (continued)

14mm Pitch — 55mm Wide (continued)

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|---------------|-------------|-----------------|-------------------|---------------|
| 6160-14MGT-55 | 9356-0201 | 440 | 242.52 | 6.90 | 6860-14MGT-55 | 9356-0206 | 490 | 270.08 | 9.30 |

14mm Pitch — 85mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|---------------|-------------|-----------------|-------------------|---------------|---------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-85 | 9356-0102 | 69 | 38.03 | .35 | 3150-14MGT-85 | 9356-0157 | 225 | 124.02 | 6.90 |
| 1190-14MGT-85 | 9356-0107 | 85 | 46.85 | 3.35 | 3360-14MGT-85 | 9356-0182 | 240 | 132.28 | 5.86 |
| 1400-14MGT-85 | 9356-0112 | 100 | 55.12 | 3.75 | 3500-14MGT-85 | 9356-0162 | 250 | 137.80 | 7.40 |
| 1610-14MGT-85 | 9356-0117 | 115 | 63.39 | .59 | 3850-14MGT-85 | 9356-0167 | 275 | 151.57 | 8.00 |
| 1778-14MGT-85 | 9356-0122 | 127 | 70.00 | 4.50 | 4326-14MGT-85 | 9356-0172 | 309 | 170.31 | 7.46 |
| 1890-14MGT-85 | 9356-0127 | 135 | 74.41 | 4.65 | 4578-14MGT-85 | 9356-0177 | 327 | 180.24 | 7.90 |
| 2100-14MGT-85 | 9356-0132 | 150 | 82.68 | 5.00 | 4956-14MGT-85 | 9356-0187 | 354 | 195.12 | 8.55 |
| 2310-14MGT-85 | 9356-0137 | 165 | 90.94 | .84 | 5320-14MGT-85 | 9356-0192 | 380 | 209.45 | 10.88 |
| 2450-14MGT-85 | 9356-0142 | 175 | 96.46 | .89 | 5740-14MGT-85 | 9356-0197 | 410 | 225.98 | 9.90 |
| 2590-14MGT-85 | 9356-0147 | 185 | 101.97 | .95 | 6160-14MGT-85 | 9356-0202 | 440 | 242.52 | 10.63 |
| 2800-14MGT-85 | 9356-0152 | 200 | 110.24 | 6.20 | 6860-14MGT-85 | 9356-0207 | 490 | 270.08 | 14.30 |

14mm Pitch — 115mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-115 | 9356-0103 | 69 | 38.03 | .47 | 3360-14MGT-115 | 9356-0183 | 240 | 132.28 | 7.83 |
| 1190-14MGT-115 | 9356-0108 | 85 | 46.85 | 4.00 | 3500-14MGT-115 | 9356-0163 | 250 | 137.80 | 10.00 |
| 1400-14MGT-115 | 9356-0113 | 100 | 55.12 | 4.65 | 3850-14MGT-115 | 9356-0168 | 275 | 151.57 | 10.75 |
| 1610-14MGT-115 | 9356-0118 | 115 | 63.39 | .79 | 4326-14MGT-115 | 9356-0173 | 309 | 170.31 | 10.14 |
| 1778-14MGT-115 | 9356-0123 | 127 | 70.00 | 5.55 | 4578-14MGT-115 | 9356-0178 | 327 | 180.24 | 10.70 |
| 1890-14MGT-115 | 9356-0128 | 135 | 74.41 | 5.90 | 4956-14MGT-115 | 9356-0188 | 354 | 195.12 | 11.60 |
| 2100-14MGT-115 | 9356-0133 | 150 | 82.68 | 6.25 | 4956-14MGT-170 | 9356-0189 | 354 | 195.12 | 17.09 |
| 2310-14MGT-115 | 9356-0138 | 165 | 90.94 | 1.14 | 5320-14MGT-115 | 9356-0193 | 380 | 209.45 | 12.63 |
| 2450-14MGT-115 | 9356-0143 | 175 | 96.46 | 1.21 | 5740-14MGT-115 | 9356-0198 | 410 | 225.98 | 13.40 |
| 2590-14MGT-115 | 9356-0148 | 185 | 101.97 | 1.28 | 6160-14MGT-115 | 9356-0203 | 440 | 242.52 | 16.84 |
| 2800-14MGT-115 | 9356-0153 | 200 | 110.24 | 8.10 | 6860-14MGT-115 | 9356-0208 | 490 | 270.08 | 17.08 |
| 3150-14MGT-115 | 9356-0158 | 225 | 124.02 | 8.75 | | | | | |

14mm Pitch — 170mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 966-14MGT-170 | 9356-0104 | 69 | 38.03 | .70 | 3150-14MGT-170 | 9356-0159 | 225 | 124.02 | 11.00 |
| 1190-14MGT-170 | 9356-0109 | 85 | 46.85 | 4.08 | 3360-14MGT-170 | 9356-0184 | 240 | 132.28 | 11.60 |
| 1400-14MGT-170 | 9356-0114 | 100 | 55.12 | 5.10 | 3500-14MGT-170 | 9356-0164 | 250 | 137.80 | 12.50 |
| 1610-14MGT-170 | 9356-0119 | 115 | 63.39 | 1.17 | 3850-14MGT-170 | 9356-0169 | 275 | 151.57 | 14.00 |
| 1778-14MGT-170 | 9356-0124 | 127 | 70.00 | 6.50 | 4326-14MGT-170 | 9356-0174 | 309 | 170.31 | 17.50 |
| 1890-14MGT-170 | 9356-0129 | 135 | 74.41 | 7.00 | 4578-14MGT-170 | 9356-0179 | 327 | 180.24 | 15.60 |
| 2100-14MGT-170 | 9356-0134 | 150 | 82.68 | 7.35 | 5320-14MGT-170 | 9356-0194 | 380 | 209.45 | 18.40 |
| 2310-14MGT-170 | 9356-0139 | 165 | 90.94 | 1.68 | 5740-14MGT-170 | 9356-0199 | 410 | 225.98 | 21.12 |
| 2450-14MGT-170 | 9356-0144 | 175 | 96.46 | 1.79 | 6160-14MGT-170 | 9356-0204 | 440 | 242.52 | 22.67 |
| 2590-14MGT-170 | 9356-0149 | 185 | 101.97 | 1.89 | 6860-14MGT-170 | 9356-0209 | 490 | 270.08 | 23.70 |
| 2800-14MGT-170 | 9356-0154 | 200 | 110.24 | 9.50 | | | | | |

14mm Pitch PowerGrip® GT®3 ACHE Belts — 40, 55 and 85mm Wide

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 3150-14MGT-40F | 9356-0589 | 225 | 124.01 | 3.65 | 3360-14MGT-40F | 9356-0590 | 240 | 132.28 | 3.90 |
| 3150-14MGT-55F | 9356-0593 | 225 | 124.01 | 3.80 | 3360-14MGT-55F | 9356-0594 | 240 | 132.28 | 4.20 |
| 3150-14MGT-85F | 9356-0597 | 225 | 124.01 | 6.00 | 3360-14MGT-85F | 9356-0598 | 240 | 132.28 | 6.40 |

PowerGrip® GT®3 Belts - 8M and 14M

Product No. Series 9356 *(continued)*

14mm Pitch PowerGrip® GT®3 ACHE Belts — 40, 55 and 85mm Wide *(continued)*

| Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) | Part No. | Product No. | Number of Teeth | Pitch Length (in) | Weight (Lbs.) |
|----------------|-------------|-----------------|-------------------|---------------|----------------|-------------|-----------------|-------------------|---------------|
| 3500-14MGT-40F | 9356-0591 | 250 | 137.79 | 4.00 | 3850-14MGT-40F | 9356-0592 | 275 | 151.57 | 4.30 |
| 3500-14MGT-55F | 9356-0595 | 250 | 137.79 | 4.50 | 3850-14MGT-55F | 9356-0596 | 275 | 151.57 | 5.20 |
| 3500-14MGT-85F | 9356-0599 | 250 | 137.79 | 6.50 | 3850-14MGT-85F | 9356-0600 | 275 | 151.57 | 7.00 |