





Nominal Dimensions



Part Number Example



Part number includes the width/construction suffix in parenthesis below.
 Example: A 1/4" wide 50XL is a part number 50XL025G.

XL - 1/5 Inch Pitch for 1/4" and 3/8" Wide Belts

Part Number	1/4" Wide (025G)		3/8" Wide (037G)		Pitch Length (in)	Number of Teeth
	Weight*	Weight*	Weight*	Weight*		
50XL	0.004	0.006	0.006	0.006	5.00	25
60XL	0.005	0.007	0.007	0.007	6.00	30
64XL	0.005	0.007	0.007	0.007	6.40	32
68XL	0.005	0.007	0.007	0.007	6.80	34
70XL	0.005	0.008	0.008	0.008	7.00	35
72XL	0.006	0.008	0.008	0.008	7.20	36
74XL	0.006	0.008	0.008	0.008	7.40	37
76XL	0.006	0.009	0.009	0.009	7.60	38
78XL	0.005	0.009	0.009	0.009	7.80	39
80XL	0.006	0.009	0.009	0.009	8.00	40
84XL	0.006	0.009	0.009	0.009	8.40	42
88XL	0.007	0.010	0.010	0.010	8.80	44
90XL	0.007	0.010	0.010	0.010	9.00	45
92XL	0.007	0.010	0.010	0.010	9.20	46
94XL	0.007	0.011	0.011	0.011	9.40	47
96XL	0.007	0.011	0.011	0.011	9.60	48
98XL	0.007	0.011	0.011	0.011	9.80	49
100XL	0.007	0.011	0.011	0.011	10.00	50
102XL	0.008	0.011	0.011	0.011	10.20	51
104XL	0.008	0.012	0.012	0.012	10.40	52
106XL	0.008	0.012	0.012	0.012	10.60	53
108XL	0.008	0.012	0.012	0.012	10.80	54
110XL	0.008	0.012	0.012	0.012	11.00	55
112XL	0.008	0.013	0.013	0.013	11.20	56
114XL	0.009	0.013	0.013	0.013	11.40	57
116XL	0.009	0.013	0.013	0.013	11.60	58
118XL	0.009	0.013	0.013	0.013	11.80	59
122XL	0.009	0.014	0.014	0.014	12.20	61
124XL	0.009	0.014	0.014	0.014	12.40	62
126XL	0.009	0.014	0.014	0.014	12.60	63
128XL	0.010	0.014	0.014	0.014	12.80	64
130XL	0.010	0.015	0.015	0.015	13.00	65
132XL	0.010	0.015	0.015	0.015	13.20	66
134XL	0.010	0.015	0.015	0.015	13.40	67
136XL	0.010	0.015	0.015	0.015	13.60	68
138XL	0.010	0.015	0.015	0.015	13.80	69
140XL	0.010	0.016	0.016	0.016	14.00	70
142XL	0.011	0.016	0.016	0.016	14.20	71
144XL	0.011	0.016	0.016	0.016	14.40	72
146XL	0.011	0.016	0.016	0.016	14.60	73
148XL	0.011	0.017	0.017	0.017	14.80	74
150XL	0.011	0.017	0.017	0.017	15.00	75
152XL	0.011	0.017	0.017	0.017	15.20	76
154XL	0.012	0.017	0.017	0.017	15.40	77
156XL	0.012	0.017	0.017	0.017	15.60	78

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.

Synchro-Link® Timing Belts - Neoprene (RMA)



XL - 1/5 Inch Pitch for 1/4" and 3/8" Wide Belts (Continued)

Part Number	1/4" Wide (025G)	3/8" Wide (037G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*		
158XL	0.012	0.018	15.80	79
160XL	0.012	0.018	16.00	80
162XL	0.012	0.018	16.20	81
164XL	0.012	0.018	16.40	82
166XL	0.012	0.019	16.60	83
168XL	0.013	0.019	16.80	84
170XL	0.013	0.019	17.00	85
172XL	0.013	0.019	17.20	86
174XL	0.013	0.019	17.40	87
176XL	0.013	0.020	17.60	88
178XL	0.013	0.020	17.80	89
180XL	0.013	0.020	18.00	90
182XL	0.014	0.020	18.20	91
184XL	0.014	0.021	18.40	92
188XL	0.014	0.021	18.80	94
190XL	0.014	0.021	19.00	95
194XL	0.014	0.022	19.40	97
196XL	0.015	0.022	19.60	98
198XL	0.015	0.022	19.80	99
200XL	0.015	0.022	20.00	100
202XL	0.015	0.023	20.20	101
206XL	0.015	0.023	20.60	103
208XL	0.016	0.023	20.80	104
210XL	0.016	0.023	21.00	105
212XL	0.016	0.024	21.20	106
214XL	0.016	0.024	21.40	107
216XL	0.016	0.025	21.60	108
220XL	0.016	0.025	22.00	110
222XL	0.017	0.026	22.20	111
224XL	0.017	0.026	22.40	112
228XL	0.017	0.026	22.80	114
230XL	0.017	0.026	23.00	115
234XL	0.017	0.026	23.40	117
240XL	0.018	0.027	24.00	120
244XL	0.018	0.027	24.40	122
248XL	0.019	0.028	24.80	124
250XL	0.019	0.028	25.00	125
260XL	0.019	0.029	26.00	130
262XL	0.020	0.029	26.20	131
266XL	0.020	0.030	26.60	133
270XL	0.020	0.030	27.00	135
276XL	0.021	0.031	27.60	138
280XL	0.021	0.031	28.00	140
282XL	0.021	0.032	28.20	141
290XL	0.022	0.032	29.00	145
300XL	0.022	0.034	30.00	150
310XL	0.023	0.035	31.00	155
314XL	0.023	0.035	31.40	157
320XL	0.024	0.036	32.00	160
322XL	0.024	0.036	32.20	161
330XL	0.025	0.037	33.00	165
340XL	0.025	0.038	34.00	170
344XL	0.026	0.038	34.40	172
348XL	0.026	0.039	34.80	174
352XL	0.026	0.039	35.20	176
356XL	0.027	0.040	35.60	178
360XL	0.027	0.040	36.00	180
364XL	0.027	0.041	36.40	182
370XL	0.028	0.041	37.00	185
372XL	0.028	0.042	37.20	186
376XL	0.028	0.042	37.60	188
384XL	0.029	0.043	38.40	192
386XL	0.029	0.043	38.60	193
388XL	0.029	0.043	38.80	194
390XL	0.029	0.044	39.00	195

Synchro-Link® Timing Belts - Neoprene (RMA)

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.



XL - 1/5 Inch Pitch for 1/4" and 3/8" Wide Belts (Continued)

Part Number	1/4" Wide (025G)	3/8" Wide (037G)	Pitch Length (in)	Number of Teeth
	Weight*	Weight*		
396XL	0.030	0.044	39.60	198
400XL	0.030	0.045	40.00	200
408XL	0.030	0.046	40.80	204
424XL	0.032	0.047	42.40	212
430XL	0.032	0.048	43.00	215
450XL	0.034	0.050	45.00	225
456XL	0.034	0.051	45.60	228
460XL	0.034	0.051	46.00	230
470XL	0.035	0.053	47.00	235
490XL	0.037	0.055	49.00	245
496XL	0.038	0.056	49.60	248
510XL	0.038	0.057	51.00	255
540XL	0.040	0.060	54.00	270
564XL	0.042	0.063	56.40	282
592XL	0.044	0.066	59.20	296
608XL	0.045	0.068	60.80	304
630XL	0.047	0.070	63.00	315
638XL	0.048	0.071	63.80	319
686XL	0.055	0.082	68.60	343
828XL	0.062	0.092	82.80	414
860XL	0.064	0.096	86.00	430
888XL	0.066	0.099	88.80	444
900XL	0.067	0.101	90.00	450
908XL	0.068	0.102	90.80	454
914XL	0.068	0.102	91.40	457
926XL	0.069	0.103	92.60	463
1014XL	0.076	0.113	101.40	507
1020XL	0.076	0.114	102.00	510

* Weights shown are approximate.

Other widths available. Contact BANDO for price and delivery.

Synchro-Link® Timing Belts - Neoprene (RMA)

Minimum Recommended Pulley Sizes

Using pulley sizes less than the recommended minimum can substantially reduce belt life and drive efficiency. Values shown are number of pulley teeth.

Speed Range (RPM)	MXL	XL	L	H	XH	XXH
0 - 870	NA	10	12	14	22	22
870 - 1160	12	10	12	16	24	24
1160 - 1750	14	12	14	18	26	26
1750 - 3500	16	12	16	20	30	NA
3500 - over	16	14	18	22	NA	NA